

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE                  | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|------------------------------|----------------------|---------------------|------------------|
| 10/748,535      | 12/29/2003                   | Robert T. Weverka    | 019930-000140US     | 8538             |
| 20350 7         | 7590 01/11/2005              |                      | EXAM                | INER             |
| TOWNSEND        | AND TOWNSEND                 | PAK, SUNG H          |                     |                  |
| TWO EMBAR       | CADERO CENTER                |                      |                     |                  |
| EIGHTH FLO      | OR                           |                      | ART UNIT            | PAPER NUMBER     |
| SAN FRANCI      | SAN FRANCISCO, CA 94111-3834 |                      |                     |                  |
|                 |                              |                      |                     |                  |

DATE MAILED: 01/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

|   |   | ( )  |  |  |  |  |
|---|---|--|--|--|--|--|
|   | Application No.   | Applicant(s)   |  |  |  |  |
|   | 10/748,535  | WEVERKA ET AL.   |  |  |  |  |
| Office Action Summary   | Examiner  | Art Unit   |  |  |  |  |
|   | Sung H. Pak   | 2874   |  |  |  |  |
| The MAILING DATE of this communication app<br>Period for Reply  | ears on the cover sheet with the o  | orrespondence address  |  |  |  |  |
| A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | 36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE                          | nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133). |  |  |  |  |
| Status  |   |  |  |  |  |  |
| 1) Responsive to communication(s) filed on 26 Oc  | <u>ctober 2004</u> .  |  |  |  |  |  |
| · <u>=</u>  | action is non-final.  |  |  |  |  |  |
| ·— ··   | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. |  |  |  |  |  |
| closed in accordance with the practice under £  | x parte Quayle, 1935 C.D. 11, 4:  | 03 U.G. 213.   |  |  |  |  |
| Disposition of Claims   |   |  |  |  |  |  |
| 4)⊠ Claim(s) <u>30-34,38 and 39</u> is/are pending in the application.  |   |  |  |  |  |  |
| 4a) Of the above claim(s) is/are withdrawn from consideration.  |   |  |  |  |  |  |
| 5) Claim(s) <u>33,38 and 39</u> is/are allowed.   |   |  |  |  |  |  |
| 6) Claim(s) 30-32 and 34 is/are rejected.   |   |  |  |  |  |  |
|   |   |  |  |  |  |  |
| 8) Claim(s) are subject to restriction and/or   | r election requirement.   |  |  |  |  |  |
| Application Papers  |   |  |  |  |  |  |
| 9) The specification is objected to by the Examiner.  |   |  |  |  |  |  |
| 10)☐ The drawing(s) filed on is/are: a)☐ acce   |   |  |  |  |  |  |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).   |   |  |  |  |  |  |
| Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.  |   |  |  |  |  |  |
| 11) The oath of declaration is objected to by the Ex  | ammer. Note the attached Office   | Action of form FTO-132.  |  |  |  |  |
| Priority under 35 U.S.C. § 119  |   |  |  |  |  |  |
| <ul> <li>12) Acknowledgment is made of a claim for foreign</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents</li> <li>2. Certified copies of the priority documents</li> <li>3. Copies of the certified copies of the priority</li> </ul>  | s have been received.<br>s have been received in Applicati  | on No  |  |  |  |  |
| application from the International Bureau   | ı (PCT Rule 17.2(a)).   |  |  |  |  |  |
| * See the attached detailed Office action for a list  | of the certified copies not receive   | ed.  |  |  |  |  |
| Attachment(s)   |   |  |  |  |  |  |
| 1) Notice of References Cited (PTO-892)   | 4) Interview Summary  | (PTO-413)  |  |  |  |  |
| 2) Delice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Da   | ate  |  |  |  |  |
| 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date  | 6) Other:   | Patent Application (PTO-152)   |  |  |  |  |

Art Unit: 2874

### **DETAILED ACTION**

Applicant's amendment filed 10/26/2004 has been entered. All pending claims have been carefully reconsidered in view of the amendment.


# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim 30 is rejected under 35 U.S.C. 102(b) as being anticipated by Welch (US 5,565,686), as discussed in the previous office action.




Art Unit: 2874

Welch discloses an optical device with all the limitations set forth in the claims including: first and second flat mirrors, fixed at a particular included angle with respect to one another (figure above); said first and second flat mirrors defining an intersection axis (figure above); a third flat mirror mounted for rotation about a rotation axis parallel to the intersection axis (these axes are parallel as shown in the figure above); an actuator coupled to the third flat mirror configured to provide first and second angular positions about the rotation axis (column 4 lines 51-53); the first angular position being such to define an included angle of approximately 90 degrees between the first and third flat mirrors, the second angular position being such to define an included angle of approximately 90 degrees between the second and third flat mirrors (column 4 lines 51-53, column 4 lines 39-42). Since the third mirror rotates 360 degrees, first and second angular positions that define 90 degrees angle is inherently disclosed.

Claim 31 is rejected under 35 U.S.C. 102(e) as being anticipated by Kalman et al (US 6,424,756 B1) as discussed in the previous office action.

The applied reference has a common inventor with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Art Unit: 2874



Kalman discloses an optical device with all the limitations set forth in the claims including: a support element having first and second mounting surfaces lying in planes defining an angle therebetween of approximately 90 degrees ('216', '226' figure above); first and second MEMS micromirror arrays disposed on respective first and second substrates, mounted to the first and second mounting surfaces of the support element ('217', '227'; column 7 lines 29-30); a given micromirror in the first array being associated with a plurality of M micromirrors in the second array (column 7 lines 21-25); an actuator coupled to each given micromirror in the first array to provide M discrete orientations of the given micromirror, each orientation directing light along an incident direction toward different micromirror in the second array (column 7 lines 21-28); the plurality of M micromirrors in the second array having respective orientations such that each respective orientation is substantially 90 degrees to the orientation of the given mirror in the first array when the given mirror is oriented to direct light to that micromirro in the second array (see figure above). Since the input and output fibers ('12' and '22') are arranged in parallel, the orientation of the first mirror array is necessarily 90 degrees with respect to the orientation of the second mirror array in order to transmit light beam from the input fibers to the output fibers.

Art Unit: 2874

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claim 32 is rejected under 35 U.S.C. 103(a) as being obvious over Kalman et al (US 6,424,756 B1) in view of Ackley et al (US 5,489,988) as discussed in the previous office action.

The applied reference has a common inventor with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art only under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 103(a) might be overcome by: (1) a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not an invention "by another"; (2) a showing of a date of invention for the claimed subject matter of the application which corresponds to subject matter

Art Unit: 2874

disclosed but not claimed in the reference, prior to the effective U.S. filing date of the reference under 37 CFR 1.131; or (3) an oath or declaration under 37 CFR 1.130 stating that the application and reference are currently owned by the same party and that the inventor named in the application is the prior inventor under 35 U.S.C. 104, together with a terminal disclaimer in accordance with 37 CFR 1.321(c). For applications filed on or after November 29, 1999, this rejection might also be overcome by showing that the subject matter of the reference and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person. See MPEP § 706.02(l)(1) and § 706.02(l)(2).

Kalman discloses an optical device as discussed above.

However, Kalman does not explicitly show the use of V-block as a support means for reflectors.

The use of V-block for supporting means is known in the art. Ackley explicitly teaches the use of V-block (Fig. 5) for supporting a reflective layer ('71') such that optical beams are coupled from the input fibers to the output fibers. The use of V-block is considered advantageous in the art because it allows for precise and secure positioning of optical elements, which enhances optical alignment and decreases optical loss.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the Kalman device to have V-block for supporting its reflectors.

Art Unit: 2874

Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kalman et al (US 6,424,756 B1) as discussed in the previous office action.

Kalman discloses an optical device as discussed above.

However, Kalman does not explicitly teach the micromirrors' deflection being limited to  $\pm 10^{\circ}$ .

Ordinarily, differences in range will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such range is critical. "[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955). Since the general condition of the claimed limitation is disclosed in the prior art, the optimal range of ±10° is prima facie obvious, unless there is evidence indicating such range is critical. Also see MPEP 2144.05.

Deflection angle being limited to  $\pm 10^{\circ}$  is considered advantageous and desirable in the art because small angle of deflection reduces the required driving voltage of the MEMS mirrors and reduces excessive energy consumption. Further, limited deflection angle reduces over-actuation of MEMS mirrors which may be caused my mirrors momentum, and it enhances alignment of transmitted optical beams.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the Kalman device to have its micromirrors' deflection angle limited to  $\pm 10^{\circ}$ .

Art Unit: 2874

Allowable Subject Matter

Claims 38-39 are allowed.

Claim 33 is allowed.

The claim is now amended to include allowable subject matter indicated in the previous

office action.

Response to Arguments

Claim 30:

Starting on page 6 of the applicant's response, it is argued that claim 30 contains a

limitation "dynamically configurable retroreflector" in its preamble, and that the Welch reference

does not disclose a "retroreflector."

The examiner respectfully submits that the device of Welch may be broadly interpreted to

teach a "dynamic retroreflector" because the rotating mirror (40) will reflect the light beam back

to its input path direction when it is perpendicular to the input signal light. Therefore, the device

of Welch is broadly interpreted to be a "retroreflector." Since Welch teaches all the limitations

set forth in the body of the claim as discussed in this office action and the previous office action,

the claim rejection based on 35 USC 102 is proper.

Claim 31:

Starting on page 8 of the applicant's response, it is argued that the Kalman reference does

not teach first and second mounting surfaces containing first and second MEMS micromirror

arrays that are 90 degrees oriented from each other.

Art Unit: 2874

The examiner respectfully submits that although Kalman does not explicitly state that first and second MEMS arrays are exactly 90 degrees apart, but it nevertheless teaches the first and second MEMS arrays that are "approximately" 90 degrees apart as recited in the claim.

As apparent from the figures and the written description of the Kalman reference, all the embodiments of the input and output optical waveguides are oriented parallel to each other. (see especially Fig. 3A and 3B). In the "second embodiment" (i.e. Fig. 4), the two "oblique" substrates are used such that each substrate contains respective MEMS micromirror arrays. Since the input and output waveguides are oriented parallel, and the micromirrors exhibit relatively small degree of rotation, first and second substrates inherently assume "approximately 90 degrees" angular constraint as recited in the claim. Therefore, it is respectfully submitted that the claim rejection based on 35 USC 102 is proper.

### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Page 10

Application/Control Number: 10/748,535

Art Unit: 2874

however, will the statutory period for reply expire later than SIX MONTHS from the mailing

date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Sung H. Pak whose telephone number is (571) 272-2353. The

examiner can normally be reached on Monday- Friday, 9AM-5PM.

The fax phone number for the organization where this application or proceeding is

assigned is 703-872-9306.

Son

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sung H. Pak Examiner

Art Unit 2874

sp

Rodney Bovernick
Supervisory Patent Examiner

Technology Center 2800